

SPECIFICATIONS - 4520 (2W	D)
----------------------------------	----

		4JZU (ZWD)
Engine		
Engine HP		45 (2WD)
No. of Cylinders		3
Rated RPM		2000
Max Torque (Nm)		174
Air Cleaner		Dry Air Cleaner With Clogging Sensor
Transmission		
Clutch Type		Dual Clutch
Gear Box		8F+2R
Max Speed (kmph)		27.58
Brake		·
Brake Type		Oil Immersed Brake
Hydraulics		
Lift Capacity (kg)		1600 Kg
3 Point Linkage		CAT II
Hydraulic Control		1DA/SA
Steering		
Steering		Power
РТО		
PTO Standard RPM		540
MSR PTO		Optional
Туге		
Tyre	Front	6*16
	Rear	13.6*28/14.9*28
Fuel Tank		
Capacity (L)		65
Dimensions & Weight		
Wheel Base (mm)		2100
Length (mm)		3880
Width (mm)		1830
Front Ballast Weight (Optional)		4*29
*	Since product upgrad	dation is a continuous process, specification and details provided

*Since product upgradation is a continuous process, specification and details provided are subject to change without any prior intimation. *Terms and condition apply.

Dealership stamp




• E3 Engine having Xtra Power, Xtra Torque and Xtra Pickup.
• Efficient Fuel Combustion which results in extra mileage, extra engine life for trouble free operations
• High Engine Torque of 174 Nm

Easy Swift Shift 8F+2R Gearbox for "Gear Shift on the Go"
Max Speed of 27.58 Kmph for better productivity


- Optimized speed for better productivity in Rotavator
- Maintenance free transmission which saves time and money

Tough transmission for Tough Haulage



Next Generation Transmission

PTO



- Super Strong Brakes provides safety in hills
- Offers Highest PTO Power which gives better pulverization, Achieves 540 in 1680 ERPM which results in fuel saving
- Optional reverse PTO ensures dechoking of Rotavator, ensures easy operations and saves time



SUPER STRONG OIB

- Advance European Aerodynamic Design
- Aerodynamic Sloping hood design ensures better visibility
- Stylish twin projector with DRL & LED lamps



SICHEY AUTOMOTIVE EAST AFRICA LIMITED

Pembe Plaza Ground Floor, HomaBay Road Roundabout, Enterprise Road, P O Box 60275, 00100 Nairobi sales@sicheyautomotive.com | Hotline: +254 735 500 500, +254 780 465 797, +254 722 720 447

SPECIFICATIONS - 4520 (4WD)					
Engine					
Engine HP		45 (4WD)			
No. of Cylinders		3			
Rated RPM		2100			
Max Torque (Nm)		190			
Air Cleaner		Dry Air Cleaner With Clogging Sensor			
Transmission					
Clutch Type		Dual Clutch			
Gear Box		8F+2R			
Max Speed (kmph)		27.58			
Brake		•			
Brake Type		Oil Immersed Brake			
Hydraulics					
Lift Capacity (kg)		1600 Kg			
3 Point Linkage		CAT II			
Hydraulic Control		1DA/SA			
Steering					
Steering		Power			
РТО					
PTO Standard RPM		540			
MSR PTO		Optional			
Туге					
Tyre	Front	9.5*20			
	Rear	13.6*28/14.9*28			
Fuel Tank					

65

2100

3880

1830

4*29

are subject to change without any prior intimation. *Terms and condition apply.

*Since product upgradation is a continuous process, specification and details provided

	/
THE PARTY NAME	Ι.
ENGINE	

• E3 Engine having Xtra Power, Xtra Torque and Xtra Pickup. • Efficient Fuel Combustion which results in extra mileage, extra engine life for trouble free operations High Engine Torque of 190 Nm

• Easy Swift Shift 8F+2R Gearbox for "Gear Shift on the Go" • Max Speed of 27.58 Kmph for better productivity

- · Optimized speed for better productivity in Rotavator
- Maintenance free transmission which saves time and money

• Tough transmission for Tough Haulage



PTO



- Most Efficient braking in Tough Haulage
- Provides Longer Brakes Life due to multiple Discs
- Super Strong Brakes provides safety in hills
- Offers Highest PTO Power which gives better pulverization, Achieves 540 in 1680 ERPM which results in fuel saving
- Optional reverse PTO ensures dechoking of Rotavator, ensures easy operations and saves time



- Advance European Aerodynamic Design
- Aerodynamic Sloping hood design ensures better visibility
- Stylish twin projector with DRL & LED lamps



Dealership stamp

Front Ballast Weight (Optional)

Capacity (L)

Length (mm)

Width (mm)

Dimensions & Weight

Wheel Base (mm)

SICHEY AUTOMOTIVE EAST AFRICA LIMITED

Pembe Plaza Ground Floor, HomaBay Road Roundabout, Enterprise Road, P O Box 60275, 00100 Nairobi sales@sicheyautomotive.com | Hotline: +254 735 500 500, +254 780 465 797, +254 722 720 447